HISTORY FACILITY PROFILE

TYPE ACTION: RECERTIFICATION
TOTAL: 72
TYPE OWNERSHIP: NONPROFIT - CORPORATION

ROCKY MOUNTAIN CARE - WEST VAL 4150 WEST 3375 SOUTH WEST VALLEY CITY UT 84120 STATE'S REGION CODE: 001

PROVIDER #: 465075

PROVIDER #: 465075 FACILITY BEDS
PHONE NUMBER: (801) 397-4400
PARTICIPATION DATE: 08/01/1980 CERTIFIED: 72

COMPLIANCE STATUS: FACILITY MEETS REQUIREMENTS BASED ON AN ACCEPTABLE PLAN OF CORRECTION

RESIDENT CENSUS	S ON 10/07,	/2002		LTC ADM	ISSION	/SUSPENSION DA	ATES		TOT	'AL CERTIF	IED BEI	os: 72	
TOTAL MEDICARE MEDICAID OTHER	8 40			ADMISSI SUSPENSI					18 	18/19 72	19 	ICF/MR	
CURRENT SURVEY	REVISIT DA	ATES - NONE											
		/S PRIOR 1 DDE SURVEY 08/2001		CURRENT SURVEY 10/07/20	CODE	PLAN/DATE OF CORRECT		PR	ROGRAM REQU	JIREMENTS			
X E X D	X	E D	С				REQ REQ REQ REQ REQ REQ REQ REQ	F0253-H F0274-A F0279-D F0309-F F0314-F F0316-A F0332-M	BELF-DETERM HOUSEKEEPIN ASSESSMENT DEVELOP COMPROVIDE NECE PROPER TREA APPROPRIATE MEDICATION	IG & MAINT AFTER A S MPREHENSIV CESS CARE ATMENT TO TREATMEN ERROR RAT	ENANCE IGNIFIC E CARE FOR HIG PREVENT T FOR I ES OF 5	CANT CHANGE PLANS HEST PRAC W /HEAL PRESS	ELL BEING URE SORES RES
EDITION OF LSC 85 EXIST 85 EX PRIOR 3 PRIOR SURVEY SURVEY 01/1999 04/200 X	IST 85 EXIS 2 PRIOR I 7 SURVEY	L CURRENT SURVEY	OF 0	.AN/DATE CORRECTION 0/25/2002 0/21/2002 0/25/2002		K0(K0(K0(K0(K0(018-C0 029-HA 038-EX 046-EN 050-F1	DRRIDOR DAZARDOUS KIT ACCES MERGENCY IRE DRILL JTOMATIC	AREAS - SE SS LIGHTING	EPARATION			
TYPE OF DEFICIENCY			SU	JRRENT JRVEY		PRIOR 1 SURVEY	St	RIOR 2 JRVEY	PRIOR 3 SURVEY				
CONDITION REQUIREMENT HEALTH TOTAL LIFE SAFETY COI		ł		0 0 0 0 4 4		0 1 1 2 3		0 5 5 3 8	0 4 4 1 5				

COMPLAINT	SURVEY	INFORMATION

SURVEY DATE	STATUS
04/04/2001	UNSUBSTANTIATED
11/27/2001	UNSUBSTANTIATED
07/15/2002	UNSUBSTANTIATED
09/25/2002	SUBSTANTIATED

FMS SURVEY INFORMATION

* NO FMS SURVEYS FOR THIS FACILITY

C=DATE OF CORRECTION N=NO DATE GIVEN COP = CONDITION REQ = REQUIREMENT P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED F=FSES X=DEFICIENT